<u> </u>		
	Application No.	Applicant(s)
	10/764,624	SCHICK, KARL G.
Notice of Allowability	Examiner	Art Unit
	Ernest G. Therkorn	1723
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>January 26, 2004&June 30, 2004</u> .		
2. The allowed claim(s) is/are <u>1-11, 20-28,47-53, and 56-63.</u>		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		·
Attachment(s)	_	
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	(PTO-413),
3. Information Disclosure Statements (PTO-1,449 or PTO/SB/0 Paper No./Mail Date	8), 7. 🖾 Examiner's Amendo	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit	* 8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. 🗌 Other	
		•

M

Application/Control Number: 10/764,624

Art Unit: 1723

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Prior to the first line of page 1 of the specification, the following has been inserted:

-- RELATED APPLICATIONS

This application is a division of application No. 10/172,082, filed June 14, 2002, now U.S. Patent No. 6,712,963. - -

The following is an examiner's statement of reasons for allowance: Filvek, "Volumetric Disposable Liquid Filling System Schematic"; Webpage of "Integrate Solution for Biopharmaceutical Fluid Handling at www.tc-tech.com; Schick (U.S. Patent No. 5,947,382); and Schick (U.S. Patent No. 6,350,382) are considered to be the closest art. The case has been allowed because the claimed combination of elements would not have been obvious from Filvek, "Volumetric Disposable Liquid Filling System Schematic"; Webpage of "Integrate Solution for Biopharmaceutical Fluid Handling at www.tc-tech.com; Schick (U.S. Patent No. 5,947,382); and Schick (U.S. Patent No. 6,350,382).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication should be directed to E. Therkorn at telephone number (571) 272-1149. The official fax number is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). Crast 6 the low

> Ernest G. Therkorn **Primary Examiner** Art Unit 1723

EGT September 7, 2005